IGHANDY, Z.

Damages caused by frost-cracks in our oak forests. p. 81. (AZ ERDOMERNOKI FOISKOLD KOZLEMENYEI, No. 2, 1956. Sopron, Hungary)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 0, no. 9, Sep. 1957. Uncl.

ICMANDY, Z.

"Fungi causing the decay of the stumps of oak seedlings in forest." p. 131

ERDESZETTUDOMANYI KOZLEMENYEK. Erdomernoki Foiskola. Az Erdomernoki Foiskola Kozlemenyei Sopron, Hungary

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 6, June 1959 Uncl.

"APPROVED FOR RELEASE: Thursday, July 27, 2000 CIA-RDP86-00513R00051832

MADY ZOLTAN

Hungary/Plant Diseases. Diseases of Forest Plants.

Q-2

Abs Jour : Ref Zhur-Biol., No 8, 1958, 34925

Author

: Igmandy Zoltan

Inst Title

: Not given

: Effect of the Environmental Factors on the Distribution of Xanthocrous obliques (Pers) B. and G.

in the Planting of the Austrian Oak in Hills and Mountains. (Vliyaniye faktorov sredy na rasprostraneniye Xanthocrous obliguus (pers.) B. et G. v nasazhdeniyakh duba avstriyskovo v usloviyakh kholmov i gor)

Orig Pub : Erdo, 1957, 6, No 4, 121-124

Abstract : No abstract

Card 1/1

IGMANDY, Zoltan
APPROVED FOR RELEASE: Thursday, July 27, 2000 CIA-RDP86-00513R0005132(Fungi of cak and their effect on the quality of wood. Faipar 11 no.11:343-346 N 159.

1. Erdomernoki Foiskola Erdovedelemtani Tanszeke, Sopron.

IGMANDY, Zoltan, dr.; PAGONY, Rubert, dr.

Data on the life of Lyctus linearis Goeze. Faipar 12 no.6:190-192 Je 162.

1. Erdomernoki Foiskola es Erdeszeti Tudomanyos Intezet.

"APPROVED FOR RELEASE: Thursday, July 27, 2000 CIA-RDP86-00513R00051832

IGMANDY, Zoltan, dr., egyetemi docens (Sopron); PAGONY, Hubert, dr.

Dangerous fungi perilous to white and grey poplars in Hungary. Erdo 14 no.1:19-25 Ja 165.

1. Scientific Division Chief, Scientific Institute of Forestry, Sopron (for Pagony).

CAVRIIA, I., Prof.; GUCU, A.; IGNA, M.

Notes on cases of leptospirosis in the clinic for contagious diseases in Cluj. Hed. int., Bucur. 10 no.5:679-686 May 58.

1. Incrare efectuata in clinica de boli contagioase, Cluj.

(LEPTOSPIROSIS, case reports

in Rumanians in Cluj. etiol., spidemiol. & diag.)

GAVRILA, I., prof.; COMES, L., conf.; IGNA, M., dr.; ONESCIUC, I., dr.; BOTA, R., dr.

Problems of interpretation of sideremia in the diagnosis of jaundices. Med. intern., Bucur 12 no.11:1619-1627 N '60.

1. Lucrare efectuata in Clinica de boli contagioase, Cluj, director prof. I. Gavrila.

(IRON blood) (JAUNDICE diagnosis)

COMES, L., conf.; MURESEANU, T.; IGNA, M.; URCAN, S.; SERBAN, I.

Staphylococcal infections in the clinic of infectious diseases. Microbiologia (Bucur) 6 no.1:21-22 Ja-F '61.

COMES, L., conf.; IGNA, M.; URGAN, I.

Staphylococcal acute angina. Microbiologia (Bucur) 6 no.1;30-31 Ja-F '61.

GAVRILA, I.; COMES, L.; IGNA, M.; BERDILA, L.; MARINA, M.; TURCAS, C.; KIRALY, M.

Transaminase and aldolase in the diagnosis of epidemic hepatitis.

Stud. cercet. med. intern. 3 no.4:461-471 '62.

(JAUNDICE) (HEPATITIS, INFECTIOUS) (ASPARTATE AMINOTRANSFERASE)

(ALDOLASE)

RUMANIA

GAVRILA, I., Professor; IGNA, M., MD; GORGAN, V., MD; SOLOVIEV, M., MD; NEGCMIREANU, T., MD.

Clinic of Contagious Diseases (Clinica de boli contagioase), Cluj; Director: Professor'I. Gavrila. - (for all)

Bucharest, Viata Medicala, No 5, 1 Mar 63, pp 313-322.

"The Accidents in Corticotherapy in Infectious Pathology."

(5)

IGNACHAK, I. [Ihnachak, I.] (Varshava)

Propagation of stresses in an indefinite medium with a hole caused by a dynamic nucleus of thermoeleatic deformation.

Prykl.mekh. 6 no.4:368-374 '60. (MIRA 13:11)

 Institut osnovnykh problem tekhniki, Pol'skaya AN. (Thermal stresses)

BLAIM, Alicja; IGNACIUK, Alina

Effect of therapy on the growth and development of hypothyroid children. Fol. tyg. lek. 19 no.36:1367-1369 7 S '64.

1. Z II Kliniki Pediatrycznej Akademii Medycznej w Warszawie kierownik (prof. dr. med. T. Lewenfisz-Wojnarowska).

Chemical Abst.

Chemical Abst.

Vol. 48 No. 8

Apr. 25, 1934

Biological Chemistry

Biological Chemistry

The effect of a flet of bases upon the cold altail geometry (profit index) report). Abignew Augustin and terms in general properties with the cold altail geometry (profit index) report). Abignew Augustin and terms in general profit index and the cold altail geometry (profit index) report). Compt. rand. gen. get. better West. No. 9, Comms. No. 3, 1-2(1947).—Ingression of 180 g. of cooked beans by a human subject and by a dog in creased he pill of urine from approx. 5 to 8. United Nava and K also increased, NH, and P decreased, and Cl comms was unchanged. Serven Na content decreased for 2 hrs.

and returned to initial levels in 3 to 4 hrs.

P. L. E.

LUKASIEWICZ, M.; FRAENKEL, E.; technika spolupraca HOVAN, J.; IGNACZ, I.

Contribution on a method of evaluating the analysis action of drugs. Cesk. farm. 12 no.2:85-89 F '621

1. Permakologicky ustav Lekarskej fakulty JPJS, Kosice.
(ANALGESICS AND ANTIPYRETICS) (PHARMACOLOGY)

IGNACZ, Janos; NAGY, Mihaly; LORANT, Ivan; RADNOTI, Laszlo; TAKACS, Kalman

Manufacturing joined leatherboards from splits and split waste
materials. Bor cipo 10 no.3:77-80 My '60.

1. Ujpesti Borgyar (for Ignacz and Nagy). 2. Boripari Kutato
Inteset (for Lorant and Radnoti). 3. Boripari Igazgatosag (for
Takacs).


ICNACZ, Janos; NAGY, Mihaly; LORANT, Ivan; RAINOTI, Laszlo; TAKACS, Kalman.

Making joined leather boards of splits and split refuses. Bor cipe 10 no.3:77-80 My 160


1. Ujpesti Borgyar (for Ignacz and Nagy). 2. Boripari Kutato Intexet (for Lorant and Radnoti). 3. Boripari Igazgatosag (for Takacs). 4. *Bor- es Cipotechnika* szerkeszto bizottsagi tagja (for Lorant).








"APPROVED FOR RELEASE: Thursday, July 27, 2000 CIA-RDP86-00513R00051832





"Influence of an error in measuring power on the accuracy of the determination of the phase angle." Elektrotechnika, Budapest, Vol. 47, No. 2, Feb. 1954, p. 57.

SO: Eastern European Accessions List, Vol. 3, No. 11, Nov. 1954, L.C.


o ne olore el glabel balo la flora e surannemen

IGHACZ. P.

IGHACZ, P. Extenguisher tube surge diverters and their development in Hungary. p. 157

Vol. 49, no. 6, June 1956 WINTROTECHINA TECHNOLOGY Budapest, Hungary

SO: Hest Muropean Accession Vol. 6, no. 3, March 1957



Ignacz, P.

Reduced scale models and computing machines in the service of raising the technical standard of electric-ower industry. p. 193

ELEKTROTECHNIKA. (Hagyar Elektrotechnikai Egyesulet.)
Budapest, Hungary. Index to V. 51, 1958. Vol.52, no.5/6, 1959

Monthly List of East European Accessions (E:AI) LC, Vol. 8, no.11 November 1959 Uncl.

IGNACZ, Pal, Kossuth-dijas, a mussaki tudomanyok doktora


Work of the Electric Power Research Institute in the past
ten years. Elektrotechnika 53 no.2/3:54-59 '60.

1. Inteseti igasgato.

ICHACZAK, Jozef


Rayleigh waves in a nonhomogeneous isotropic elastic semispace. Pt.1. Archiv mech 15 no.3:341-346 '63.

1. Department of Mechanics of Continuous Media, Institute of Basic Technical Problems, Polish Academy of Sciences, Warsaw.



"APPROVED FOR RELEASE: Thursday, July 27, 2000 CIA-RDP86-00513R00051832

the state of	Entrolleration of the Court of the Section of the Court o
HAMAGEA SUCCES	
Ignaczak, Józek Thermal stresses in a heated in a discontinuous manner ov surface. Arch. Mech. Stos. 10 (1958), 2 and Russian summaries) The temperature stresses are found in circular cylinder under steady state conditace temperature is constant circumferentia axially as Heaviside's step function. Interest.	5-34. (Polish a long solid tions; the sur-
equations of thermo-elasticity is effected the thermoelastic potential of displacement E. H. Mansfield (Fig. 1).	by introducing nt. arnborough).



11,2313

1327, 2808, 2807

23903 P/033/60/012/002/008/008

D214/D301

AUTHORS:

Piechocki, Władysław, and Ignaczak, Józef (Warsaw)

TITLE:

Some problems of dynamic distortion in thermo-

elasticity

PERIODICAL: Archiwum mechaniki stosowanej, v. 12, no. 2, 1960,

259 - 278

TEXT: The problems of dynamic thermal distortion considered here are those of a temperature field discontinuous in space and time. By analogy with a static case, a non-steady state nucleus of thermoelastic strain which may be surface, linear, or point nucleus, is introduced an it means that in a body of volume V the temperature distribution has the form

$$T*(x_1, \xi_1; t) = \delta(x_1 - \xi_1) \delta(t),$$
 (0.4)

where $\delta = \delta(x)$ is the Dirac function, knowledge of the solution

Card 1/7

23903

Some problems of dynamic ...

P/033/60/012/002/008/008 D214/D301

denoted by $[S*(x_1, \S_1, t)]$ of the dynamic problem for a non-steady state nucleus enables one to obtain the solutions for any other temperature distribution $T = T(x_1, t)$ from

$$[S(x_i,t)] = \int d\tau \int [S^*(x_i,\xi_i;t-\tau)] T(\xi_i;\tau) dV(\xi_i). \qquad (0.5)$$

The problems considered here are point symmetric for the elastic sphere and the infinite body with a spherical cavity. For the case of a non-steady state nucleus of thermoelastic strain distributed over a spherical surface in an infinite body, the temperature distribution has the form

$$T(r, r_0; t) = \delta(r - r_0) \delta(t),$$
 (1.1)

where $\delta = \delta(\mathbf{r})$ is the Dirac function. For a temperature field discontinuous in time the authors obtain

Card 2/7

23903

Some problem of dynamic ...

P/033/60/012/002/008/008 D214/D301

$$\int \frac{2}{\theta_{0}c_{1}} \frac{r}{r_{0}} \chi(r, r_{0}; t, t^{4}) = -\frac{2}{\theta_{0}} \frac{r}{c_{1}} \int \Phi(r, r_{0}; t - r) d\tau =$$

$$= \left\{ t^{4} \left[\eta \left(t - t^{4} - \frac{r_{0} - r}{c_{1}} \right) - \eta \left(t - t^{4} - \frac{r_{0} + r}{c_{1}} \right) \right] + \right.$$

$$\left. + \left(t - \frac{r_{0} - r}{c_{1}} \right) \eta \left(\frac{r_{0} - r}{c_{1}} + t^{4} - t \right) - \left(t - \frac{r_{0} + r}{c_{1}} \right) \eta \left(\frac{r_{0} + r}{c_{1}} + t^{4} - t \right) \right\} \eta(r_{0} - r) +$$

$$+ \left\{ t^{4} \left[\eta \left(t - t^{4} - \frac{r_{0} - r}{c_{1}} \right) - \eta \left(t - t^{4} - \frac{r_{0} - r}{c_{1}} \right) \right] +$$

$$+ \left(t - \frac{r_{0} - r}{c_{1}} \right) \eta \left(\frac{r_{0} - r}{c_{1}} + t^{4} - t \right) - \left(t - \frac{r_{0} + r}{c_{1}} \right) \eta \left(\frac{r_{0} - r}{c_{1}} + t^{4} - t \right) \right\} \eta(r_{0} - r_{0}).$$

The Eq. (1.23) may be interpreted as follows: During the period $0 < t < t^*$ an infinite elastic body containing the spherical surface $r = r_0$ was heated to a constant temperature, the sphere havecard 3/7

23903

Some problem of dynamic ...

P/033/60/012/002/008/008 D214/D301

ing a coefficient of thermal dilatation other than the surrounding medium, the elastic properties being the same. If, in the region of the spherical shell $r_1 \le r \le r_2$ there exists an inclusion of a different coefficient of thermal dilatation from that of the surrounding body, and if the entire body is heated to a uniform temperature during the period $0 \le t_1^* \le t \le t_2^*$ then the function determining the dynamic distortion for the passage across the region of the insert is given by the equation

$$\varphi_1^0(r,t;r_1,r_1;t_1^*,t_2^*) = \int_r^{r_0} [\chi(r,r_0;t,t_2^*) - \chi(r,r_0;t,t_1^*)] dr_0, \qquad (1.24)$$

where the function \mathcal{X} is determined by the Eq. (1.23). It is therefore seen that knowledge of the function Φ enables the determination of the displacements fields and thermal stress waves for both continuous and discontinuous point-symmetric variability of the temperature field. The function Φ may be called a point-symmetric

Card 4/7

. 23903 P/033/60/012/002/003/008 D214/D301

Some problem of dynamic ...

function of dynamic thermal distortion in an infinite elastic body. Two cases with a finite boundary are considered. For the spherical elastic body $0 \leqslant r \leqslant a$ we have

$$\frac{\phi^{\circ}}{4\pi r_{0}^{2}} = -\frac{\vartheta_{0}}{4\pi} \left\{ \frac{\sinh \zeta s}{\zeta s} \frac{e^{-\xi s}}{r_{0}} \eta(r_{0} - r) + \frac{\sinh \zeta s_{0}}{\zeta s_{0}} \left[\frac{e^{-\xi s}}{r} \eta(r - r_{0}) - \frac{\sinh \zeta s}{1 - \varphi(\zeta)} \frac{\varphi(\zeta) e^{-2\zeta}}{1 - \varphi(\zeta)} \right] \right\},$$
(2.2)

where: $\xi = k$, a; s = r/a; $s_0 = r_0/a$ and the function $\varphi(\xi)$ is a rational function of the variable .

$$\varphi(\zeta) = \frac{[(\zeta + 2x^2)^3 + 4x^3(1 - x^3)]/[(\zeta - 2x^2)^3 + 4x^3(1 - x^2)]}{x^2 = c_0^2/c_1^2, \quad 0 < x^3 < 1.}$$
(2.3)

here the nucleus of thermo-elastic strain was assumed to appear on the surface $r=r_0 <$ a inside the solid sphere at t = 0, and for

Card 5/7

23903

Some problem of dynamic ...

P/033/60/012/002/008/008 D214/D301

the spherical cavity in the infinite body when the region $r \ge a > 0$ is considered and it is assumed that a nucleus appeared on the surface of the sphere $r = r_0 > a$ which is free from stress, at t = 0.

Finally a surface nucleus varying periodically in the neighborhood of the spherical cavity has the potential function given by

$$\frac{-\frac{\theta e^{-i\omega t}}{\theta_0 \tau_0^2} = \frac{\sinh h_1 r}{h_1 r} \frac{e^{-h_1 r_0}}{r_0} \eta(r_0 - r) + \frac{\sinh h_1 r_0}{h_1 r_0} \frac{e^{-h_1 r}}{\tau} \eta(r - r_0) - \frac{1}{2 h_1 r_0 r} \left[\frac{1}{\varphi(h_1 a)} e^{-h_1 a(s + s_0 - t)} - e^{-h_1 a(s + s_0)} \right], \quad h_1 = i\omega/c_1.$$

There are 19 references: 5 Soviet-bloc and 14 non-Soviet-bloc. The four most recent English-language references read as follows: E. Sternberg and E.L. McDowell, On the steady state thermo-elastic problem for the half-space. Quart. Appl. Math. 4, 14, 1957, 381-398; In.N. Sneddon, F.J. Lockett, On the Steady-State Thermoelastic Problem for the Half Space and the Thick Plate, Quart. Journ, appl. Math., Brown University in press., 1959; E. Sternberg and Card 6/7

23993

Some problem of dynamic

P/033/60/012/002/008/008 D214/D301

J.G. Chakravorty, Thermal Shock in an Elastic Body with a Spherical Cavity. Quart. Appl. Math. 2, 17, 1959; E. Sternberg, Transient Thermal Stresses in an Infinite Medium with a Spherical Cavity, Proc. Kon. Ned. Akad. Wetens h., 5 B, 60, 1957, 39-49.

ASSOCIATION: Department of Mechanics of Continuous Media, IBTP, Polish Academy of Sciences

SUBMITTED: November 20, 1959

Oard 7/7

Thursday, July 27, 2000

26615 P/033/60/012/004/001/007 D242/D301

10.6400

AUTHOR:

TITLE:

The axially symmetric boundary shell of any thickness elasticity for a hemispherical shell of any Ignaczak, Józef (Warsaw)

PERIODICAL: Archiwum mechaniki stosowanej, v. 12, no. 4, 1960,

TEXT: It is shown that the solution to the steady state problem of in an axially-symmetric temperature field, with the bounding spherical surfaces and metric temperature field, with the bounding spherical surfaces. thermoelasticity for a thick hemispherical shell, in an axially and thermoelasticity for a thick hemispherical shell, in an axially and shell, in a surfaces the temperature field, free from stress, can be writhermoelastic metric temperature surface of an axially symmetric solution in the plane annular surface of an axially symmetric solution in the plane annular surface and of a sequence of account, in problem in a semi-infinite space and temperature into modelastic problem, without taking semi-infinite them to B. Semi the elastic problem, without the space the solution of the solution due to B. Semi the thick hemispherical shormation of the solution due to B. Semi lem is solved by a transformation of the solved by a transformation. the thick hemispherical shell. The semi-infinite thermoelastic prob-lem is solved by a transformation of the solution due to B. Sen for semination of the solution when the stress of thermoelastic strain (Ref. 4: Note on the stress as single nucleus of thermoelastic strain (Ref. 4: Note on the stress as single nucleus of thermoelastic strain (Ref. 4: Note on the stress as single nucleus of the stress as nucleus

gard 1/3

320

26615 P/033/60/012/004/001/007 D242/D301

found that the four infinite systems of equations for the coefficients of the sub-sequence solutions may be solved by considering only two systems, from which the other two sets of coefficients may be obtained directly. There are 8 non-Soviet-bloc references: The 4 most recent references to English-language publications read as follows: E.L. McDowell, E. Sternberg, Axisymmetric Thermal Stresses in a Spherical Shell of Arbitrary Thickness, J. Appl. Mech. 24, 1957, 376; B. Sharma, Stresses Due to a Nucleus of Thermoelastic Strain (1) in an Infinite Elastic Solid with Spherical Cavity and (11) in a Solid Elastic Sphere ZAMP, 2, 8, 1957, 142-150; R.A. Eubanks, Stress Concentration Due to a Hemispherical Pit at a free Surface. J. Appl. Mech. 1, 21, 1954, 57-62; D. Collins, On the Stress Distributions due to Force Nuclei in an Elastic Solid Boun-

ASSOCIATION: Department of Mechanics of Continuous Media, IBTP Polish Academy of Sciences

ded Internally by a Spherical Hollow and an Elastic Sphere, ZAMP,

SUBMITTED: January 22, 1960 Card 3/3

11, 1960.

The axially symmetric boundary ...

IGNACZAK, Jozef (Warsaw)

A plane problem of dynamic thermal distrotion in thermoelasticity. Archiv mech 12 no.5/6:763-774 160.

1. Department of Mechanics of Continuous Media, Institute of Basic Technaicl Problems, Polish Academy of Sciences, Warsaw.

263/18 P/033/61/013/003/003/008 D287/D303

10.6400

26.2200 AUTHOR:

Ignaczak, Józef (Warsaw)

TITLE:

Transient thermal stresses in an elastic semi-space

after a number of thermal shock cycles

PERIODICAL:

Archiwum mechaniki stosowanej, v. 13, no. 3, 1961,

327-335

The author points out that one-dimensional problems of thermal shocks on the surface of an elastic semi-space treated by V. I. Danilovskaya (Ref. 1: Prikl. Mat. Mekh., 3, 14 (1950), and Ref. 2: Prikl. Mat. Mekh., 3, 16 (1952)) and others concerned only classical dynamic problems of thermoelasticity and did not concern the coupling between the strain field and the temperature field. According to W. Nowacki (Ref. 6: Arch. Mech. Stoses 3, 9 (1957). 325-335) a thermal shock consists in a discontinuity of the temperature in function of time, at the boundary or inside the region. In the present paper, the classical assumptions of dynamic problems of thermoelasticity are made to consider the general one-dimensional case of a finite number of thermal shocks on the boundary of the Card 1/6

26348 P/033/61/013/003/003/008 D287/D303

Transient thermal stresses...

semi-space. In addition, it is assumed that between two successive time-discontinuities the temperature of the boundary can be approximated in a continuous manner by means of straight line segments (where two neighboring cycles may differ by the type of time variability) and that the temperature becomes constant after a certain number of cycles and the stresses vanish with time. For solving the problem, the author assumes that the edge of the semi-space $x \ge 0$ is acted on by successive cycles of thermal shocks uniformly distributed over the bounding plane. The stress $\sigma_1 = \sigma_1(x,t)$ and the temperature T = T(x,t) are functions of the variables x and t only. The author then discusses the equation of motion in stress with the initial and boundary conditions, and the classical one-dimensional heat equation with the initial and boundary conditions. After performing the Laplace transformation the author obtains the solution of the problem for $x \geqslant 0$ in two equations which, when inverted, give the two equations for the temperature and the stress. The latter two equations are used by the author for further analysis of the problem. The general problem is shown graphically in Fig. 1, which represents three groups of cyclic shocks, each being characterized by a

Card 2/6

Fer 3 = 1.55

26318 P/033/61/013/003/003/008 D287/D303

Transient thermal stresses ...

sudden temperature rise and fall and a state in which it is constant:

$$T_0^+ = T_3^+ = T_6^+$$
, $T_1^- = T_4^- = T_7^-$,

$$T_1^- = T_4^- = T_7^-$$

$$T_1^+ = T_4^+ = T_7^+$$
,

$$T_0^+ = T_3^- = T_6^-,$$
 $T_2^- = T_5^- = T_7^-,$
 $T_2^+ = T_5^+ = T_8^+,$
 $T_3^- = T_6^- = T_9^-,$

$$T_3 - T_6 - T_9$$

$$t_4 - t_3 = t_1$$

$$t_6^{-t}_5 = t_3^{-t}_2$$
,

$$t_8 - t_7 = t_2 - t_1$$
,

$$t_{7}^{-t_{6}} = t_{1}$$
, $t_{9}^{-t_{8}} = t_{3}^{-t_{2}}$.

These groups end with states of constant temperatures. The author then considers some special cases of successive thermal cycles for the elastic semi-space. He discusses two cases of thermal shock cycles followed by states of constant temperatures, including the particular case where $T_2^+ = 0$, $T_1^+ = T_2^- = T_2^+$ which corresponds to a gradual temperature rise

$$T_2^+ = 0$$
, $T_1^+ = T_2^- = T_2^+$

Card 3/6

CIA-RDP86-00513R000518320 APPROVED FOR RELEASE: Thursday, July 27, 2000

26348 P/033/61/013/003/003/008 D287/D303

Transient thermal stresses...

from zero to T_1 at the time t_1 and a sudden cooling of the surface to the temperature T_2^+ for $t>t_1$. In this case, only one stress jump will take place at the moment t_1+x_0/c . The author is concerned with one cycle of thermal shock, beginning with a continuous temperature rise. He then considers three groups of thermal shock cycles repeated in a regular manner, each containing two temperature discontinuity points corresponding to sudden heating and cooling, whereby he assumes that the temperatures of heat and cooling are constant for the entire thermal shock process and that the process ends with the cooling temperature

$$t_1 + t_2 = t_3$$
, $2t_2 = t_4$, $t_1 + 2t_2 = t_5$, $T_0^+ = T_2^+ = T_4^+ = T_1^- = T_3^- = T_5^-$, $T_1^+ = T_3^+ = T_5^+ = T_2^- = T_4^-$.

The author points out that in the case of regularly repeated groups of Card 4/6

26348 P/033/61/013/003/cca/008 D287/D303

Transient thermal stresses ...

cycles where the level of heating and cooling is constant in successive time intervals, the stress fatigue in a certain intermediate time interval of the process is more common than at the beginning of the thermal shock cycle and after the temperature becomes constant. There are 4 figures and 8 references: 3 Soviet-bloc and 5 non-Soviet-bloc. The three process to English-language publications read as follows: E. Sternberg. Chakravorty, On inertial effects in a transient thermoelastic process. J. Appl. Mech., 4, 26 (1050); J. E. Micheals, Thermally induced electic wave propagation in slender bars, Proc. Third U. S. Nat. Congr. Appl. Mech., 1058; J. R. Dietrich, W. H. Zinn, Solid fuel reactors, General Nucl. Engin. Corp., 1958.

ASSOCIATION:

Department of Mechanics of Continuous Media,

IBTP, Polish Academy of Sciences

JUDI: ITTED:

December 2, 1960

Card 5/6

IGNACZAK, Jozef

Transient thermal stresses in an elastic semi-space after a number of thermal shock cycles. Archiv mech 13 no.3:325-327 161.

1. Department of Mechanics of Continuous Media, Institute of Basic Technical Problems, Polish Academy of Sciences.

31129 P/033/61/013/005/006/006 D265/D302 Ignaczak, Józef, and Nowacki, Witold (Warsaw) 1327 2607 2307 Transversal vibrations of a plate, produced by heating 10.3000 Archiwum mechaniki stosowanej, v. 13, no. 5, 1961, AUTHOR: In this paper equations are derived for the harmonic forced TITLE: TEXT: In this paper equations are derived for the narmonic forced vibrations of a plate thermally excited by the density of the three-dimensional temperature field moment acting along the plate thick-Vibrations of a plate thermally excited by the density of the thick-dimensional temperature field moment acting along the plate thick-ness. The longitudinal vibrations are assumed to be independent of the flexural vibrations. Starting from the heat equation PERIODICAL: (1.11)

 $\nabla^2 \mathbf{r} - \frac{1}{\mathcal{H}} \dot{\mathbf{r}} = 0, \quad \nabla^2 = \partial_1^2 + \partial_2^2 + \partial_3^2$

in 3 dimensions coupled and not coupled with the deformation field, the basic equation is given for an infinite plate on elastic forma-

Card 1/3

APPROVED FOR RELEASE: Thursday, July 27, 2000

CIA-RDP86-00513R00051832(

P/033/61/013/005/006/006 D265/D302

Transversal vibrations of ... mations with a prescribed heat flow across the bounding surfaces harmonically varying in time

$$[(\partial_1^2 + \partial_2^2)^2 - \beta^2 + k]W + (1+v)\alpha_t(\partial_1^2 + \partial_2^2)\theta = 0$$
 (1.22)

and

S

Ca

$$(\partial_1^2 + \partial_2^2 + \partial_3^2)\mathbf{U} - i\eta\mathbf{U} = 0, \quad \mathbf{g}^2 = \frac{\omega^2 \rho h}{N}, \quad \eta = \frac{\omega}{\mathcal{H}} \qquad (1.23)$$

The problem is also considered for the vibration of a rectangular The problem is also considered for the vioration of a rectangular plate simply supported, or simply supported on the contour and having an additional support inside the plate region along the line parallel to the edge and for the plate of which one end is clamped that the other to simply supported the plate of which one end is clamped that the other to simply supported the plate of which one end is clamped that the other to simply supported the plate of which one end is clamped that the other to simply supported the plate of which one end is clamped the other to simply supported the plate of which one end is clamped the other to simply supported the plate of which one end is clamped the other to simply supported the plate of which one end is clamped the other to simply supported the plate of which one end is clamped the plate of the plate of which one end is clamped the plate of the plate and the other is simply supported. The thermal vibrations are also considered for a circular plate. An approximate solution is provided for the above problems, consisting in the assumption that

card 2/3

Thursday, July 27, 2000

CIA-RDP86-00513

320

IGNACZAK, Jozef

A completeness problem for stress equations of motion in the linear elasticity theory. Archiw mech 15 no.2:225-234 163.

1. Department of Mechanics of Continuous Media, Institute of Basic Technical Problems, Polish Academy of Sciences, Warsaw, and Division of Applied Mathematics, Brown University, Providence, Rhodes Island.

1GNACZAK, Jezef

On the stress equations of motion in linear thermoslasticity. Archiv mech 15 no.5%(91-695 *63

1. Department of Mechanics of Continuous Media, Institute of Basic Technical Problems, Foliah Avademy of Sciences, Warsaw.

IGNACZAK, J.; CH'U JEN- YI

On the congruency of stress problem formulations in linear elastodynamics. Bul Ac Pol tech 12 no. 1: 1-4.

 Department of Mechanics of Continuous Media, Institute of Fundamental Technical Problems, Polish Academy of Sciences, Warsaw. Presented by W. Nowacki.

IGNACZAK, J.

Dynamic displacement field produced by a point source of heat moving with uniform velocity in an infinite elastic solid. Bul Ac Pol tech 12 no. 3:177-180 *64.

1. Department of Mechanics of Continuous Media, Institute of Basic Technical Problems, Polish Academy of Sciences, Warsaw. Presented by W.Nowacki.

IGNAR, STEFAN

Mlodziez chlopska odpowiedzialna za przyszlosc wsi. Warszawa, Iskry, 1954.

P. 167 (The peasant youth responsible for the future of rural communities. illus., ports.)

DA

Not in DLC


SO: Monthly Index of European Accessions (AEEI) Vol. 6, No. 11, November 1957

IGNAR, S.

Gospadarka spoldzieini produkcyjnych i POM w powiecie wyrzyskim. (Wyd. 1.) Warszawa, Panstwowe Wydawn. Rolmoeze i Lesne, 1956. 321. p. (Management of production cooperatives and machine-tractor stations in Wypzysk District. 1st ed.)

DA Not in DLC

SO: Monthly List of East European Accessions (EEAL) Lc. Vol. 6, No. 10, October, 1957. Uncl.



Aims, methods, and organization of studies on the regions under industrialization. Nauka polska 12 no.1:54-58 Ja-F '64.

1. Vice President of the Council of Ministers, Warsaw.

VASIL'YEVA, G.A.; FOLOVTSEVA, Yu.M.; ICNASHCHENKOVA, N.V.;

ZAF'YANTSEVA, I.N.; SUDNIK, R.M.; PRAVELYOVA, M.L.,
red.; KONDRAT'YEVA, T.F., kand.tekhn.nauk, red.; ALFTYEVA, N.A.,
inzh.red.

[Reliability and durability of piston machines; annotated bibliographical index: Soviet and foreign
literature published in 1960-1963] Nadezhnost' i dolgovechnost' porshnevykh mashin; annotirovannyi bibliograficheskii ukazatel': otechestvennata i inostrannaia
literature 1960-1963 gg. Leningrad, Otdel nauchnotekhn. informateil, 1964. 144 p. (MIRA 18:7)

1. Moscow. Vsesoyuznyy nauchno-issledovatel'skiy i
konstruktorskiy institut khimicheskogo mashinostroyeniya.
Leningradskiy filial.

Repairing collar nuts. Shor.rats.predl.vnedr.v proizv. no.1:55-56 '61. 1. Nizhne-Tagil'skiy metallurgicheskiy kombinat. (Bolts and nuts)

	Vonc _AFFTC/ASD=-JD , //cccs/clos	
10749-63	EWP(q)/EWT(m)/BDSAFFTC/ASDJD B/0225/63/000/003/0099/0103	
CCESSION MY:	Arguerin A. U. (Novosibirsk)	
tana. Tana	shev, Ye. P. (Novosibirsk); Marin, A. U. (Novosibirsk) 54 ring molybdenum compacts in humidified hydrogen and rolling the	om.
AUTION: WOLL	in mumidified hydrogen and rolling on	No de A
TTTE: Sinte	ring molybdenum compacts in	
into strip		
ALEX CO. CO., CO.	oshkovaya metallurgiya, no. 3, 1963, 99-103	
SOURCE: Por	oshkovaya metallingaya, and	3
	molybdenum powder, compacting, sintering, rolling, molybdenum	
TOPIC TAGS:	mory document &	
sheets	production technique has been developed for obtaining 1 to 3 m production technique has been developed for obtaining 1 to 3 m good to 130 x 130, 130 x 130, 200 m good 130 x 130, 200 m good 130 x 130, 200 m good 130 x 130 m good 130	m thick.
A TO COURT A COURT A	production technique has been de volume 180 x 180, and 180 m 300	1 1114
mulapganum g	production technique has been developed for obtaining 12 to 50 production technique has been developed for obtaining 13 to 350 phasets measuring 110 x 110, 130 x 130, 180 x 180, and 130 x 350 phasets measuring 110 x 110, 130 x 130, 180 x 180, and 160 x 180 and 10 the production of the molyodenum powders, 2, the includes 1) the production of the powders into billats 50 x 200 and 60 x 180 and sintering of the powders into billats 50 x 200 and 60 x 180 and 50	5 6755
min process	insets measuring ito a the molyodenum newarrs, 2, includes 1) the production of the molyodenum newarrs, 2, includes 1) the production of the billets 50 x 200 and 60 x 125 and sintering of the powders into billets 50 x 200 and 60 x 125 and sintering of the powders into billets of the molyodenum of 8-15 tm and 3) rolling. For the contract of molyodenum	clo
compacti &	includes 1, the providers into billets 50 x 250 and red partition sintering of the powders into billets 50 x 250 and red partitions of 8-15 hm, and 3) rolling. Powders of the partition species of 8-15 hm, and 3) rolling. Powders of the partition of many sections of the partition of the powders into billets 50 x 250 and partition of the powders into billets 50 x 250 and partition of the powders into billets 50 x 250 and partition of the powders into billets 50 x 250 and partition of the powders into billets 50 x 250 and partition of the powders into billets 50 x 250 and partition of the powders into billets 50 x 250 and partition of the powders into billets 50 x 250 and partition of the powders of the powders of the partition of	401
this thickne	space of the tempetage reduction (with the second or by	
aize Word P	IVANATE TV. TV. III II. A STANDARD MOLYEUWYZ LIE VIA STRONG	í.
tricxide ob	reduced by Ing transform molyedate in Ale size of the gree tained by reasting transform molyedate in the size of the gree of molyedenum metal scrap. Depending on the size of the gree of molyedenum metal scrap. Depending on the size of the gree of molyedenum metal scrap.	-7.
<u>sublimation</u>	Of EQUANCION DISCOURS THE THE TIME TO THE TANK T	
compacts, t	tained by roasting transition of the size of the size of the of molyphenum metal scrap. Depending on the size of the size of molyphenum metal scrap. Depending on the size of	ក្រស់សាស់ស្នេចសង្គ
Card 1/2		

L 10749-63 ACCISSION NR: AP3001957

0

million newton/ms; higher pressures or the use of finer powders at the pressures employed promoted lumination of the compacts. The green compacts were sintered for 1 hr at 1075-1125C and then for 2-3 hr at 1700-1750C. The sintered billets had a uniform, fine-grained structure (15-20 thousand grains/mm³ and a density of 9.5-10.5 g/cm³). The billets were heated to 1100-1200C in a hydrogen atmosphere and rolled (without preforging) with a 10-15% reduction per pass into sheets 1.5 to 3.5 mm thick. The hot-rolled sheets were pickled in molten potassium nitrate, surface-conditioned by grinding, and, after heating to 300-bocc in air, rolled into strips 1 to 3 mm thick. No lamination, cracking, or repture was observed during subsequent blanking and stamping. Origonalt, has:

ASSCCIATION: none

SUBMITTED: 04Jan62

DATE ACQ: 11Jul63

ENCL: 00

SUB CODE: 00

NO REF SOV: 003

OTHER: 001

card 2/2/2

I. 12691-63 ENT(d)/ENP(k)/ENP(q)/ENT(m)/BDS AFFTC/ASD Pf-4 JD/JG ACCESSION NR: AP3003448 S/0129/63/000/007/0031/0031

AUTHORS: Ignashev, Ye. P.; Kharin, A. U.

63

SOURCE: Metallovedeniye 1 termicheskaya obrabotka metallov. no. 7, 1963, 31

TOPIC TAGS: wire annealing, molybdenum wire, bright annealing

ABSTRACT: Basic characteristic of fine molybdenum wire, used for radio tube spiralling, is elongation per unit length. The mechanical properties of molybdenum wire can be improved by heat treatment. Authors established that bright recrystallization annealing of a 0.23 mm diameter wire assures a sufficiently high and uniform elongation after drawing to 100-30 microns and supplementary annealing. Article contains a figure which shows the effect of annealing temperature for two heats on the elongation per unit. In the case of heat A, the required elongation is attained only at an annealing temperature of 1450-1540C. In the case of heat B, this is not attained, if recrystallization annealing were not carried out. The 'Cord 1/2

"APPROVED FOR RELEASE: Thursday, July 27, 2000 CIA-RDP86-00513R00051832

figure.	en 1
•	
ASSOCIATION: none	
SUBMITTED: 00 DATE ACQ: 02Aug63 ENCI	: 00
SUB CODE: ML NO REF SOV: UO1 OTHER:	000
SUB CODE: ML NO REF SOV: CO1 OTHER:	00

SOV/137-59-3-5930

Translation from: Referativnyy zhurnal. Metallurgiya, 1959, Nr 3, p 140 (USSR)

AUTHORS: Blagodatskiy, L. I., Ignashin, V. F., Klimovitskiy, Z. L., Tupitsyn,

S.P.

TITLE: A Gantry-type, Two-electrode Machine for Two-sided Spot Welding

(Portal' naya dvukhelektrodnaya mashina dlya dvukhstoronney

tochechnoy svarki)

PERIODICAL: Byul. tekhn-ekon. inform. Sovnarkhoz Bryanskogo ckon. adm. r-na, 1958, Nr 1, pp 28-31

ABSTRACT: A machine for resistance spot welding of the sides of all-metal, large-capacity refrigerator cars was developed and adopted at the Bryansk machine-building plant. The machine is capable of performing two spot welds simultaneously. The current for each electrode is supplied from two transformers of a capacity of 150 kva each. Under completely mechanized conditions, the productivity of the machine amounts to 2000 spot welds per hour. The members being welded are 2-4 mm thick. A block diagram of

the electrical system is presented together with over-all views of the machine and of the complete installation.

D. F.

Card 1/1

APPROVED FOR RELEASE: Thursday, July 27, 2000

CIA-RDP86-00513R000518320

I 9 N S 5 h K i N 2, M. 5.

IGNASHKINA, M.S., assistent

Networks of lymph capillaries and vessels in the skin of the face.

(MIRA 11:1)

1. Kufedra normal'noy anatomit Leningradskogo sanitarno-gigiyenicheskogo meditsinskogo instituta (sav. kufedroy - chl.korr. AME
SSSR prof. Zhdanov D.A.)

(YAGE) (LYMPHATICS)

IGNASHKINA, M.S.

Lymphatic system of the diaphragm in health and pathology. Trudy LSGMI 65:138-147 '61. (MIRA 17:4)

1. Kafedra normal'noy anatomii Leningradskogo sanitarno-gigiyenicheskogo meditsinskogo instituta (zav. kafedroy - prof. V.N.Nadozhdin).

BALASHEV, V.N.; IGNASHKINA, M.S.

Changes in the architectonics of the lymphatic system of the diaphragm in a rabbit with a Brown-Pierce tumor. Arkh.anat., gist i embr. 43 no.7:105-110 Jl '62. (MIRA 15:9)

1. Kafedra normal'noy anatomii (zav. - koktor med.nauk V.N. Nadezhdin) Leningradskogo sanitarno-gigiyenicheskogo meditsinákogo instituta.

(LYPHATICS) (DIAPHRAGM—CANCER)

BALASHEV, V.N.; IGNASHKINA, M.S.

Lymphatic system of the parathyroid glands in man. Probl. encok. i gorm. 10 no.5:52-55 S-0 '64. (EIPA 18:6)

l. Kafedra normal'noy anatomii (zav. - prof. V.N. Nadezhdin) Leningradskogo sanitarno-gigiyenicheskogo maditsinskogo instituta.


TUNITERIY, L.M., kandidat fisiko-matematicheskikh nauk; IGMASHKOV, A.I., kandidat fisiko-matematicheskikh nauk

Electric discharge lighting in an elongated tube. Svetotekhnika
1 no.2:23-26 Ap '55. (NIRA 8:9)

1. Moskovskiy elektrolaspovyy savod.

(Fluorescent lighting)

"APPROVED FOR RELEASE: Thursday, July 27, 2000 CIA-RDP86-00513R00051832



IGIAT, A. M.

IGNAT, A. M.- "Outlines of History of Development of People's Education in the Trans-Carpathian Oblasts During the Years of Soviet Government, (1944-54)." Min of Education Ukraine SSR, Kiev State Pedagogical Inst imeni A. M. Gor'kiy, Kiev, 1955 (Dissertations for the Degree of Candidate of Pedagogical Sciences)


SO: Knizhnaya Letopis! No. 26, June 1955, Moscow

Organisation of goods transportation in the large Rumanian cities.
Pev transport 9 no.10:442-448 0 '62.

IGNAT, Dan, ing.

Technological flow in motorcar garages. Rev transport 10 no.6:263-269 Je *63.

"APPROVED FOR RELEASE: Thursday, July 27, 2000 CIA-RDP86-00513R00051832



RUMANIA

IONASCU, Al., Dr. Lt-Col, SATMARI, C., Dr. Col, IGNAT, Fl., Dr. Cpt, and STEFAN, I., Dr. Cpt [Affiliation not given]

"New Laboratory Diagnostic Methods in Leukemias"

Bucharest, Revista Sanitara Militara, Vol 62, No 2, Mar-Apr 66, pp 345-351

Abstract: A survey of the various diagnostic methods for leukemias (aiming at early identification as well as at classification of the type of leukemia involved), with emphasis on the two most useful methods, namely the cytochemical reactions and the determination of Ph1 chromosomes.

Includes one figure and 9 references, of which one Rumanian, one Russian, one German and 6 Western. Manuscript submitted 16 August 1965.

1/1

- 8 -

APPROVED FOR RELEASE: Thursday, July 27, 2000 CIA-RDP86-00513R0005 320

"Our reserves for increased-maise production."

p. 12 (Drumul Belsugului) No. 6, June 1957 Bucharest, Rumania

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4, April 1958

RUMALITA

CAR'INISAN, C., Professor; GOLOGAN, I., MD; COMAN, C., MD; STAN, A., MD; IGNAT, G., MD.

Clinic of Thoracic Surgery, Institute of Medicine and Pharmacy, Bucharest. (Clinica de chirurgie toracica, I.M.F.) - (for all)

ucharest, Viata Medicala, No 7, 1 Apr 63, pp 447-450.

"Long-Range Results of Surgical Treatment for Pulmonary Suppurations."

APPROVED FOR RELEASE: Thursday, July 27, 2000 CIA-RDP86-00513R0005

3/058/62/000/010/026/093 A061/A101

AUTHOR:

Ignat, M.

TIPLE:

TEXT:

Latest investigations into the structure of elementary particles

PERIODICAL:


Referativnyy zhurnal, Fizika, no. 10, 1962, 25, abstract 10B205 ("Studii și cercetări științ, Acad, RPR Fil. Iași, Fiz. și științe tehn.", 1961, v. 12. no. 1, 79 - 93, Rumanian)

This is a review of experimental and theoretical data on the structure of elementary particles. It is noted that the optical model is applicable

[Abstracter's note: Complete translation]

to pions and nucleons of sufficiently high energy.

"APPROVED FOR RELEASE: Thursday, July 27, 2000 CIA-RDP86-00513R00051832



17 E

L 31900-66 ACC NR. AP6026620

SOURCE CODE: RU/0003/65/016/005/0293/0293

AUTHOR: Boral, H.; Ignat, V.

ORG: Instituto for the State Control of Drugs and Pharmaceutical Research (Institutul pentru controlul de stat al medicamentelor si cercetari farmaceutice)

TITIE: Determination of p-acetaminobenzaldehyde-isonicotinoyl-hydrazone in INKA tablets

SOURCE: Revista de chimie, v. 16, no. 5, 1965, 293

TOPIC TAGS: bromide, bromate, quantitative analysis, pharmacology, drug

ABSTRACT: The authors describe a bromometric mothod for the direct determination of of the active substance from the powdered INHA tablets. The mothod involves treatment of the powder with an excess of a bromate-bromide misture in dilute hydrochloric acid medium, followed by retitration of the excess bromine. The method is simple and precise, with an error of ± 2 -ll percent. Orig. art. has: 1 table. [JPRS]


SUB CODE: 07, 06 / SUBM DATE: none / ORIG REF: 001 / OTH REF: 005

Cord 1/1 7795

09/6

2247

"APPROVED FOR RELEASE: Thursday, July 27, 2000 CIA-RDP86-00513R00051832



ACC Min AP6031579	SOURCE CODE: NU/0003/66/017/001/0050/00	50
AUTHOR: Ignat, V.; Beral, H.	20	
Olige none	B	
TIME: Determination in non-aqueous media-on, 3-carbonilio acid \(\cappa_1\)	ium of 1-ethyl, 7-eethyl-1,8-neghtiridine,	
SOURCE: Revista de chimie, v. 17, no. 1	, 1966, 50	
TOPIC TAGS: quantitative analysis, organ	nic solvent	51:
TO VOLUME OF STREET AND AND ADDRESS OF THE CONTRACTOR OF THE CONTR	determination of the product, the authors	
thysol blue as indicator. Orig. art. has	1 1 table. [JFRS: 36,002]	1 3
thusol blue as indicator. Orig. art. has	1 1 table. [JFRS: 36,002]	
thysol blue as indicator. Orig. art. has	1 1 table. [JFRS: 36,002]	
as indicator, or with a 1:2 mixture of di thousal blue as indicator. Orig. art. has SUB CODE: 07 / SUBM DATE: none / OR	1 1 table. [JFRS: 36,002]	
threel blue as indicator. Orig. art. has SUB CODE: 07 / SUBSC DATE: none / OR	1 1 table. [JFRS: 36,002]	

BR

ACCESSION NR: AP4031109

\$/0236/64/000/001/0171/0182

AUTHOR: Ignatavichene, I. A.

TITLE: Some peculiarities in the atmospheric circulation of the Baltic region

SOURCE: AN LitSSR. Trudy*. Seriya B, no. 1, 1964, 171-182

TOPIC TAGS: climate, Baltic climate, mateorology, northern hemisphere, Baltic sca, climatology

ABSTRACT: The Baltic countries being on the boundary between the sea climate zone of Western Europe and the continental climate zone of Eurasia, the purpose of the author was to compare meteorogical data of Vilno, Riga and Tartu for a number of years and to find out the role of the meridional air circulation from the north. This would permit the designation of the Baltic countries to one of the macro-regions. It was found that in the winter, early spring and spring the Baltic belongs to the circulation of the European sector, whereas in summer, fall and early winter it belongs to the Atlantic sector. However, studying the specific data for 1920, a sudden change in this pattern has been observed. During the second half of summer of this period, the influence of the Atlantic

Card 1/2

APPROVED FOR RELEASE: Thursday, July 27, 2000

CIA-RDP86-00513R0005

ACCESSION NR: AP4031109

circulation became preponderant, while in March (and possibly October) the European circulation predominated. This confirms a fact known in the literature that during the 20th century there were two periods with different circulation processes. Circulation patterns and deviations from general rules are consolidated for the 1920-1954 period in comprehensible tables. Orig. art. has: .6

ASSOCIATION: Institut geologii i geografii AN Litovskoy SSR (Institute of Geology and Geography AN Lithuanian SSR)

SUEMITTED: 18Ju163

DATE ACQ: 29Apr64

ENCL: 00

SUB CODE: ES

NO REF SOV: OOG

OTHER: 002

Card 2/2

ACCESSION NR: AP4042239

5/0236/64/000/002/0105/0113

AUTHOR: Ignataviciene, I., (Ignatavichene, I. A.)

TITLE: Certain characteristics of variations of atmospheric circulation and climate in the Baltic area

SOURCE: AN LitSSR. Trudy*. Seriya B, no. 2, 1964, 105-113

TOPIC TAGS: meteorology, climate, climatology, atmospheric circulation, precipitation, regional climatology

ABSTRACT: On the basis of data on the general circulation of the atmosphere (the B. L. Dzerdzeyevskiy classification of circulatory mechanisms of the Northern Hemisphere) and data on the frequency and duration of the effect of groups of types of atmospheric circulation over a 56-year period (1899-1954) for the Atlantic regions and Europe (averaged for 10-yr. periods), the author has studied variations of air temperature and precipitation as recorded at Vilnius, Tartu and Riga. The study also included variations in individual groups of circulatory types (westerly zonal, northerly moridional, disruption of zonal flow, southerly meridional and easterly zonal) in January, May, July and October. The results are illustrated by Figures 1-4 of the Enclosure (for clarity, data for only 1 station are shown). Analysis reveals that the relationship between variations in meteorological elements

Card

1/6

ACCESSION NR: AP4042239

and atmospheric circulation is by no means expressed clearly in all cases. The examples presented indicate that this relationship is rather complex and in many cases the variations in the meteorological elements cannot be attributed to any single circulatory group, but to the totality and interrelated character of the processes. On the general background of variations in atmospheric circulation there is a tendency to a change of its character in the middle of the investigated period. For example, in the first half of the investigated period there were individual cases of southerly meridional circulation in July and easterly zonal circulation in January, but later these types of circulation began to appear 2-3 times in a single year. Orig. art. has: 4 figures and 1 table.

ASSOCIATION: Institut geologii i geografii Akademii nauk Litovskoy SSR (Institute of Geology and Geography, Academy of Sciences of the Lithuanian SSR)


SUBMITTED: 28Oct63


ENCL: 04


SUB CODE:


NO REF 50V: 006

OTHER: 000









ICHATAVICE TE, M.

Some new smuts in Lithuania p. 339

Lietuvos TSR Mokslu adademija. Biologijos instituatas. DAREAT. Vilnius Vol. 3, 1958 Lithuanian, Poland

Monthly List of East European Accession (EEAI) LC, Vol. 9, no. 1, Jan. 1960

Uncl.

IGNATIVICAUTE, P.K., Cond Biol Sci -- (ainc) "Date for the Flora of ustilaginess mashrooms (Untilaginales) of the Lithuaniania SSR."

Vil'nyus, 1950. 20 pp with disper (Vin of higher education ESSR.

Vil'nyus State U im V. Kapsukas), (Kh., 32-59, 103)

-12-

IGNATAVICIOTE, M.

New Lithuanian strains of the fungus Ustilaginales. Liet. TSR Moksl. akad. darb. [Biol] 1:39-43 '62.

GONCHARMMKO, G.K.; IGNATCHENKO, A.G.

Improvement of the process of producing the extract of Althaea radix. Med.prom. 13 no.7:49-50 J1'59. (MIRA 12:10)

1. Khar'kovskiy nauchno-issledovatel'skiy khimiko-farmatsevticheskiy institut. (MALLOW) (EXTRACTION (CHEMISTRY))

NOSOVITSKAYA, S.A.: IGNATCHENKO, A.T.

Article on tablets in the 9th edition of the pharmacopoeia.
Apt.delo 4 no.3:47-50 My-Je '55. (MLRA 8:8)

1. Iz Khar'kovskogo nauchno-issledovatel'skogo khimiko-farmatsevticheskogo instituta Ministerstva zdravookhraneniya SSSR.

(PHARMACOPOEIA.

in Russia, section on tablets in 9th edition)

(TABLETS.

in Russian Pharmacopoeia IX)

IGHATCHENKO, I.

Great result of competition. Sov. profesiumy 6 no.2:33-36 F 158.
(MIRA 11:3)

1.Pressedatel' komiteta profsoyusa Novo-kubanskoy mashinnotraktornoy stantsii Krasnodarskogo kraya. (Agriculture)

IGNATCHENKO, N.A.

Patrographic varieties of Mesosoic coal and some characteristics of coal accumulation in the Yakutsk-Kangalasy area of the Lena coal basin. Isv. vost. fil. AN SSSR no.12:15-26 '57. (MIRA 11:1)

1. Yakutskiy filial AN SSSR. (Yakutia--Coal--Geology)

AUTHOR:

Ignatchenko, N. A.

20-118-5-47/59

TITLE:

A Neogene Coal Accumulation in the Basin of the Lower Course of the Aldan River (Neogenovoye uglenakopleniye v basseyne

nizhnego techeniya r. Aldan)

PERIODICAL:

Doklady Akademii Nauk SSSR, 1958, Vol. 118, Nr 5,

pp. 1011-1017 (USSR)

ABSTRACT:

It was stated, that the neogene sediments comprise a wide area at the lower course of the Aldan river as well as on the Lena river inclusive of its left tributaries (figure 1). The sediments are deposited on the washed out surface of the Jurassic and Lower Carbonniferous rocks and are covered by Quaternary and Alluvial sea— and purely Alluvial sediments. At the right bank of the Aldan Neogene is lying below glacial sediments. The Neogene cross—section begins with a sandy mass, not containing fauna. Great wood fragments turned brown were found as plant remains. Width of from 150 - 381 m. On this a characteristic alternation of beds consisting of sand, alcurite, alcurite clay and little carbonized coal is lying. The width of the coal containing layers increases to the north, reaching 305 meters. South of the Aldan river these sediments wedge out.

Card 1/4

A CONTRACT OF THE PROPERTY OF

20-118-5-47/59

320

A Neogene Coal Accumulation in the Basin of the Lower CAMPROVED POR RELEASE: Thursday, July 27, 2000

CIA-RDP86-00513R000

The layers free from coal and those containing coal form a lithological complex. It possesses a width of 680 m and was separated out as Tandinskaya suite by the author. Numerous pollen and spore analyses speak in favor of a Miocene-Pliocene age. Badly assorted sands are lying on the Tandinskaya suite, with a width of from lho - 150 m, denoted as Bayaginskaya suite by the author. Spore and pollen analyses and coniferous comes as well as nuts without doubt indicate a Pliocene age. In the Neogene sediments cycles are determined by quite regular successions of lithologic complemes and types of rock. Such cycles (macrocycles) of first order are represented by the mentioned Tandinskaya and Bayaginskaya suites. These macrocycles are distinctly classified into several cycles of lower order. The depression filled up by Neogene with respect to its structure appertains to the south eastern part of the Priverkhoyanskiy border downwarping. One of the most closely investigated flexures of this area is represented by the asymmetric anticlinal on the lower reach of the West-Gradyga river with an east-western direction. It is about 40 km long. Lower Carboniferous rocks with gradient angles up to about 30 - 40° were explored in their core in the vicinity of their vaulting. The anticlinal developed during the Neogene sedimentation and later as well. Two great flexures are known on the right bank of the Aldan river,

Card 2/4

W-112-5-47/59

least loo milliard tons on the area explored by drillings. The total reserve may amount to the two-or threefold.

There are 1 figure, 1 table and 0 references.

ASSOCIATION: Valuable and 0 references.

ASSOCIATION: Yakutskiy filial Akademii nauk SSSR (Yakutsk Branch of the

PRESENTED: September 4, 1957, by D. V. Nalivkin, Academician.

SUBMITTED: August 28, 1957.

Card 4/4

IGNATCHENKO, N.A.

Composition and metamorphism of coals in the southern part of the Lena coal basin. Sov.geol. 2 no.3:93-100 Kr '59.

APPROVED FOR RELEASE: Thursday, July 27, 2000 (CTA-REF)86-00513R000: 3201. Yakutskiy filial AN SSSR.

(Lena Valley—Coal geology)

IGNATCHENKO, Bikolay Aleksandrovich; CHERSKIY, N.V., otv.red.; MISHINA, R.L., red.izd-va; POLYAKOVA, T.V., tekhn.red.

[Geological structure and coal deposits of the western part of the Lena coal basin] Geologicheskoe stroenie i ugol'nye mestoroshdeniis sapadnoi chasti Lenskogo ugol'nogo basseina. Moskva, Akad. nauk SSSR, 1960. 111 p. (HIRA 13:11)

(Lena Basin-Goal geology)

ICNATCHENKO, Nikolay Aleksandrovich; CHERSKIY, N.V., otv. red.;

MISHINA, K.L., red. izd-va; KASHINA, P.S., tekhn. red.

[Geology and formation of the Yakutsk-Kangalassy region;
Lena coal basin] Geologicheskoe stroenie i formirovanie
IAkutsko-Kangalasskogo raiona; Lenskii ugol'nyi bassein.

Moskva, Izd-vo Akad.nauk SSSR, 1961. 142 p.

(Lena Basin--Coal geology)

CHUDINOV, G.M., kand. ekon. nauk, st. nauchnyy sotr.; POPOV, R.A., laborant; CHISTYAKOV, G.Ye., mladshiy nauchnyy sotr.; CHUGUNOV, B.V., mladshiy nauchnyy sotr.; LI, G.S., mladshiy nauchnyy sotr.; IGNATCHENKO, N.A., otv. red.; SOLOYYEVA, Ye.P., tekhn. red.

[Power resources of the Yakut A.S.S.R.] Knergeticheskie resursy IAkutskoi ASSR. Pod obshchim rukovodstvom G.M.Chudinova. IAkutsk. IAkutskoe knizhnoe izd-vo. 1962, 265 p. (MIRA 16:1)

1. Akademiya nauk SSSR. Yakutskiy filial, Yakutsk. Otdel energetiki. 2. Zaveduyushchiy otdelom energetiki Yakutskogo filiala Akademii nauk SSSR. Sibirskoye otdeleniye (for Chudinov). 3. Otdel energetiki Yakutskogo filiala Sibirskogo otdeleniya Akademii nauk SSSR (for all except Ignatchenko, Solov'yeva).

(Yakutia—Power resources)

IGNATCHENKO, N.A. The Lena-Aldan pre-Cambrian ledge and its fele in the formation of the Verkheyansk fold area and the Verkheyansk marginal trough. Nauch. soeb. IAFAN SSSSR no.1:5-12 '58. (MIRA 17:1)

